

Forensic Odontology: Bridging the Gap between Dental Science and Criminal Investigation

Arjun Kundu

School of Doctoral Studies and Research, National Forensic Sciences University, Gandhinagar, Gujarat, India.

ABSTRACT

Forensic odontology, as an integral part of dentistry, plays a crucial role in linking dental science with criminal investigation. This abstract provides a concise overview of the interdisciplinary nature and applications of forensic odontology, emphasizing its significance in forensic identification. In cases where traditional methods of identification fail, such as in instances of severe decomposition or trauma, dental evidence becomes invaluable. Dental records, including charts, X-rays, and photographs, serve as essential tools for comparing and establishing the identities of individuals. Forensic odontologists employ meticulous examination and comparison of dental features to aid in the resolution of missing person cases. This multidisciplinary approach ensures comprehensive investigations, enabling accurate decision-making within the criminal justice system. Ultimately, this abstract underscores the significance of forensic odontology as a vital bridge between dental science and criminal investigation. Through its comprehensive techniques and applications, this paper aims to promote a deeper understanding of the field and the potential for further advancements in the future.

Keywords: Forensic odontology, Bitemarks, cheiloscopy, rugoscopy, dental age estimation, sex determination, human remains, dental autopsy, tongue prints, forensic facial reconstruction, identification.

Int J Eth Trauma Victimology (2024). DOI: 10.18099/ijetv.v10i01.04

INTRODUCTION

Forensic odontology, a specialized branch of dentistry, plays a vital role in bridging the gap between dental science and criminal investigation. A definition of forensic odontology coined by Keisser-Nielson in 1967 and approved by the Federation Dentaire Internationale (FDI) states: Forensic odontology is that branch of dentistry which in the interest of justice, deals with the proper handling and examination of dental evidence and with the proper evaluation and presentation of dental findings.¹ In the quest for justice, law enforcement agencies increasingly rely on the expertise of forensic odontologists to provide valuable insights and evidence in a wide range of criminal cases. From human identification to bite mark analysis, dental professionals armed with their unique skill sets contribute significantly to the resolution of complex criminal investigations. The process of determining the identity of deceased individuals is one of the primary areas where forensic odontology demonstrates its significance. When traditional methods fail, such as in cases involving severe decomposition, trauma, or fire, dental evidence can often serve as a powerful means of identification. Dental records, including dental charts, X-rays, and photographs, can be compared to the teeth and jaw structures of the unidentified individuals, helping to establish their identities. The meticulous examination and comparison of dental features can provide critical links to missing-person cases. Furthermore, the analysis of bite marks has emerged as another important aspect of forensic odontology. Human skin can retain dental impressions caused by biting, and forensic odontologists possess the expertise to match these bite marks to the dentition of potential suspects. This methodology has been used to link perpetrators to crimes such

Corresponding Author: Arjun Kundu, School of Doctoral Studies and Research, National Forensic Sciences University, Gandhinagar, Gujarat, India., e-mail: arjun.kundu77@gmail.com

How to cite this article: Kundu A. Forensic Odontology: Bridging the Gap between Dental Science and Criminal Investigation. *Int J Eth Trauma Victimology*. 2024;10(1):18-27.

Source of support: Nil

Conflict of interest: None

Received: 12/12/2023;

Received in revised form: 10/03/2024;

Accepted: 27/03/2024;

Published: 30/07/2024;

as sexual assaults and homicides. However, the reliability and limitations of bite mark analysis have been subjects of scientific scrutiny, and ongoing research continues to refine this field, exploring objective techniques and standards for evaluation. The collaboration between forensic odontologists and other forensic disciplines, such as DNA analysis, anthropology, and pathology, is crucial in maximizing the evidentiary value of dental science. This multidisciplinary approach ensures comprehensive and robust investigations, enabling the justice system to make accurate and informed decisions. Through an in-depth examination of the intersection between dental science and criminal investigation, this paper seeks to highlight the significance of forensic odontology in bridging gaps, filling voids, and contributing to the pursuit of justice.

Interdisciplinary nature of Forensic Odontology

The interdisciplinary nature of forensic odontology is a key aspect of its practice and success. Forensic odontology involves collaboration and integration with various disciplines within the field of forensic science, as well as other related fields. Here

is a brief overview of the interdisciplinary nature of forensic odontology:

- Forensic odontology is a specialized branch of forensic science which encompasses various scientific disciplines. It involves the application of dental knowledge, techniques, and expertise to assist in legal investigations. Forensic odontologists work alongside other forensic scientists, such as crime scene investigators, DNA analysts, and anthropologists, to gather and analyze evidence and provide expert opinions.
- Forensic odontology has its roots in dentistry, and dental professionals play a vital role in this field. Forensic odontologists are typically dentists who have undergone additional training and education to specialize in forensic applications. Their dental expertise, knowledge of oral anatomy, and understanding of dental records and impressions are crucial in identifying individuals through dental remains and analyzing bite marks.
- Forensic odontologists collaborate closely with law enforcement agencies during criminal investigations. They work alongside police departments, forensic laboratories, and medical examiners to assist in identifying individuals, providing expert testimony, and presenting dental evidence in court. Forensic odontologists help bridge the gap between dental science and the legal system, ensuring that dental evidence is effectively utilized.
- Forensic odontologists often work in conjunction with forensic pathologists and medical examiners to identify deceased individuals through dental records and examinations. They play a significant role in mass disaster incidents, where dental identification becomes crucial in identifying victims. Collaboration with forensic pathologists and medical examiners helps establish the cause and manner of death and provides valuable evidence in criminal investigations.
- Anthropology and forensic odontology intersect when dealing with skeletal remains. Forensic odontologists work closely with forensic anthropologists to identify individuals through dental characteristics, especially when other forms of identification are not available. By analyzing dental records and examining dental remains, forensic odontologists contribute to the overall analysis and identification process carried out by forensic anthropologists.
- Advancements in technology and imaging have greatly influenced forensic odontology. Forensic odontologists utilize digital dental records, three-dimensional imaging, and computer-assisted methods to enhance the accuracy and efficiency of dental identification and bite mark analysis. Collaboration with experts in imaging technology and software development ensures the integration of technological advancements into forensic odontology practices.

The interdisciplinary nature of forensic odontology highlights its collaborative and multifaceted approach to forensic investigations. By integrating knowledge, expertise,

and techniques from various disciplines, forensic odontologists can effectively contribute to the identification of individuals, analysis of dental evidence, and provision of expert opinions in legal proceedings. This interdisciplinary collaboration strengthens the overall field of forensic science and improves the quality and reliability of dental evidence in forensic investigations.

Identification of Human Remains

In every society, individuals have their own unique identities that deserve recognition even after death. This acknowledgment becomes especially crucial in compassionate societies where the well-being of individuals extends beyond their lifetime. Following the demise of an individual, several crucial aspects demand attention, including the resolution of financial affairs and the preservation of familial connections. Humanitarian initiatives for the identification of human remains serve the following objectives:

Returning the Correct Body to the Bereaved

One fundamental objective of human identification is to ensure that the appropriate body is returned to the rightful family members. This process helps alleviate the emotional distress and uncertainty that families may face when their loved one goes missing or is involved in a catastrophic event. By accurately identifying the deceased, authorities can facilitate the proper grieving process and enable families to conduct necessary funeral arrangements.

Providing Closure and Certainty

People have an inherent need to know with certainty the fate of their missing or deceased family members. Human identification plays a pivotal role in addressing this need by providing concrete evidence of the individual's fate. By confirming the identity of the deceased, families can find solace and achieve a sense of closure, allowing them to navigate the grieving process and move forward in their lives.

Understanding the Circumstances of Death

Human identification aids in unraveling the circumstances surrounding an individual's death. By meticulously examining the evidence and conducting thorough forensic analysis, authorities can shed light on the cause and manner of death. This knowledge not only helps families understand the events leading to their loved one's passing but also assists in legal proceedings and the pursuit of justice, if necessary.

Facilitating Rituals and Ceremonies

Funeral rituals and ceremonies hold deep cultural and emotional significance for many communities. Human identification ensures that families can properly honor and commemorate their deceased family members. By knowing the identity of the deceased, families can conduct funeral rites and ceremonies that are culturally appropriate, paying their respects and bidding farewell in a manner that aligns with their traditions and beliefs.

Importance of dental identification in forensic investigations

Dental identification holds immense importance in forensic investigations due to its unique characteristics and reliability. It serves as a valuable tool for identifying individuals, especially in cases where traditional methods of identification are challenging or impossible. Here are some key reasons highlighting the importance of dental identification in forensic investigations:

Individuality and Uniqueness

Each person's dentition is unique, much like a fingerprint. Dental structures, such as the arrangement of teeth, dental restorations, and dental anomalies, are highly individualized. This uniqueness makes dental identification a powerful method in forensic investigations, as it provides a high degree of certainty in establishing the identity of an individual.

Post-mortem Preservation

Dental features are remarkably resistant to post-mortem changes and environmental factors, making them highly valuable in cases where the body is in an advanced state of decomposition or has undergone severe trauma. Teeth and dental records can withstand extreme conditions, such as fire, and remain relatively intact, ensuring the availability of viable dental evidence for identification purposes.

Dental Records and Comparison

Dental records, including dental charts, X-rays, photographs, and dental impressions, serve as a reliable source of information for comparison. Dentists typically maintain these records during routine dental visits and procedures. By comparing the antemortem dental records with post-mortem dental examinations, forensic odontologists can establish an identification or exclude individuals from consideration.

Speed and Efficiency

Dental identification can be a relatively quick and efficient process. Dental records can often be obtained promptly, and dental comparisons can be conducted in a relatively short period, especially when compared to other methods of identification, such as DNA analysis. This speed and efficiency are particularly crucial in mass disaster incidents or situations where prompt identification is required for legal, medical, or humanitarian reasons.

Complementary Method

Dental identification serves as a complementary method alongside other forms of identification, such as fingerprint analysis and DNA profiling. In cases where other forms of identification are inconclusive or unavailable, dental identification can provide the necessary evidence to establish an identification. The integration of multiple identification methods enhances the overall accuracy and reliability of the identification process.

Legal Admissibility

Dental identification has gained wide acceptance and recognition in legal proceedings. Forensic odontologists can provide expert testimony and present dental evidence in court, supporting the identification of individuals. The legal admissibility of dental evidence reinforces its significance in the criminal justice system and ensures that it is effectively utilized to aid in the resolution of criminal cases.

Age Determination Based on Dental Data

Teeth are renowned for their incredible strength, making them highly resistant to various external factors such as decay, fire, explosions, and chemicals. This durability allows teeth to remain intact and accessible for a prolonged period after death, making them valuable for post-mortem age determination. Several techniques can be employed to assess age based on dental characteristics, with tooth eruption being a particularly reliable indicator. Additionally, other observable changes in teeth occur with advancing age, including attrition (wear), periodontal disease, secondary dentine formation, root translucency, root resorption, root roughness, cementum apposition, and color changes in both the crown and roots. Dental development and dental aging are significant considerations when attempting to determine the chronological age of an individual. This becomes particularly crucial in cases involving unidentified human remains, living individuals lacking identification documents, or legal matters where age-related issues arise. Age determination based on dental data necessitates a comprehensive examination of various dental characteristics and their correlation with age-related changes. By assessing the eruption patterns of teeth, forensic experts can estimate the age of an individual, especially in cases involving children and adolescents. As individuals age, teeth experience attrition, and the extent of wear can provide insights into their approximate age. Other age-related changes include the formation of secondary dentine, root translucency, root resorption, root roughness, apposition of cementum, and alterations in crown and root color. These observable dental characteristics can be compared with established age-related norms to estimate the individual's age range. It is important to note that age determination based on dental data is not an exact science and involves a degree of estimation. Individual variations, genetic factors, and environmental influences can impact dental development and aging, leading to potential variations in age estimation. Forensic experts acknowledge these limitations and provide age estimates within a reasonable range, typically expressed as a minimum and maximum age.

Dental age estimation techniques can be classified as the visual method, radiographic method, biochemical method, and histological method.

Visual Method

The visual method relies on the visual examination of teeth to assess dental age. Tooth eruption patterns, tooth wear, periodontal status, and tooth colour changes due to stains are



taken into consideration. Tooth wear tends to increase with age, and it can provide valuable information about dental development and age. However, this method has limitations as dental eruption can be influenced by local and systemic factors.

Radiographic Method

The radiographic method involves the use of radiographs to estimate dental age based on dental development and maturation. One approach is the atlas method, which represents the developing tooth structures and their eruption patterns. Another approach involves incremental staging or scoring of developing teeth. These methods are considered reliable and non-invasive, and they can be used for children and adolescents. Various atlases and scoring methods have been developed for different populations, providing age estimates based on dental maturity.

Age estimation in children and adolescents using radiological methods can be achieved through various techniques. Here are a few commonly used methods:²

Shoulr and Massler Method

Shoulr and Massler conducted a study in 1941 where they analyzed the development of deciduous dentition. They established 21 chronological steps from 4 months to 21 years of age. Their findings were published as charts, which the American Dental Association³ has periodically updated.

Moorer, Fanning, and Hunt Method

This technique utilizes the mineralization stages of developing single and multirrooted teeth to estimate age. By assessing the level of mineralization in these teeth, age estimation can be achieved.³

Demirijian, Goldstein, and Tanner Method

In this method, seven mandibular permanent teeth are ranked in a specific order: second molar (M2), first molar (M1), second premolar (PM2), first premolar (PM1), canine (C), lateral incisor (I2), and central incisor (I1). Based on the mineralization stages labeled from A to M for these teeth, the age of an individual can be determined by correlating the findings.³

Nolla's Technique

Nolla's technique involves evaluating the mineralization stages of permanent teeth using ten stages. This method can be utilized to assess the development of each tooth in both the maxilla and mandible.³

For age estimation in adults using radiological methods, the following techniques are commonly employed:

Volume Assessment of Teeth

This method relies on measuring the reduction in the size of the pulp cavity caused by the deposition of secondary dentin, which increases with age. A technique developed by Kvaal et al. utilizes the pulp-to-tooth ratio and volume values to calculate the individual's age.^{3,4}

Third Molar Development

The technique introduced by Harris MPJ and Nortje CJ

involves categorizing third molar development into five stages. By assessing the root formation of the third molar, one can estimate the age of an individual.^{5,6}

Biochemical Methods

Biochemical methods involve the analysis of biochemical changes in dental tissues to estimate age. Amino Acid Racemization is one such method that assesses the racemization rate of aspartic acid residues in dentin collagen. Another biochemical method is Carbon dating, which measures the amount of radioactive carbon-14 remaining in tooth enamel. These methods can provide age estimates but are invasive, expensive, and not suitable for living individuals.⁷

Histological Method

The histological method involves the histological examination of tooth germs and dental tissues to assess dental age. Alizarin staining of fetal tooth germs can be used to determine prenatal dental maturity. Neonatal lines and incremental lines in the enamel can be observed to assess the amount of pre-and postnatal enamel formation. Cementum annulations, which are incremental lines in tooth cementum, can also be used as age markers.⁷

Sex Determination Based on Dental Data:

Teeth can provide valuable information for determining the sex of an individual due to sexual dimorphism, which refers to the biological differences between males and females.

Several dental characteristics can be assessed to determine sex:

Tooth Size

Sexual dimorphism is commonly observed in tooth size, with males typically having larger teeth than females. The mesiodistal width and buccolingual dimensions of teeth, particularly the canines and molars, are often measured to identify sex differences.

Canine Dimorphism

Canine teeth are frequently used in sex determination due to their prominent size and shape. Males tend to have larger and more robust canines compared to females. Measurements such as crown dimensions and the ratio of crown height to width can be used to assess sexual dimorphism.⁸⁻¹⁰

Mandibular Morphology

The mandible, or lower jaw, exhibits sexual dimorphism in its size and shape. Males tend to have larger and more robust mandibles with a more prominent chin, whereas females often have smaller and more delicate mandibles.¹¹⁻¹³

Dental Arch Shape

Variations in dental arch shape have been observed between males and females. Females tend to have a more rounded or "U-shaped" dental arch, while males may exhibit a squarer or "V-shaped" dental arch.¹⁴

Race Determination Based on Dental Data

Several dental traits have been studied to understand the variation among different racial groups. These traits include tooth morphology, crown and root dimensions, dental arch shape, and dental metrics. Here are some examples of dental features that have been examined in race determination:¹⁵⁻¹⁷

Tooth Crown Morphology

Variations in tooth crown shape and size have been observed among different populations. For instance, certain populations may exhibit shovel-shaped incisors or double-shovel-shaped incisors, which can provide clues about Asian or Native American ancestry, respectively. Additionally, the presence or absence of specific dental traits, such as Carabelli's cusp in maxillary molars or the protostylid in mandibular molars, can indicate particular racial affinities.

Dental Metrics

Measurements such as tooth size (mesiodistal and buccolingual dimensions), crown height, and crown index (the ratio of crown height to crown width) have been used to assess population differences. These metrics can help identify patterns of dental variation among different racial groups, although there can be overlapping ranges.

Dental Arch Shape

The shape of the dental arch, including its curvature and width, can show some population-specific variations. For example, individuals of African ancestry may have a more parabolic or elliptical arch shape compared to individuals of European ancestry, who often exhibit a more ovoid arch shape.

Dental Autopsy

The primary objective of dental autopsy within a medico-legal framework is to unveil significant evidence for ongoing forensic investigations. However, certain circumstances may pose challenges in conducting an oral examination due to the anatomical positioning of the oral cavity. Additionally, the onset of rigor mortis after death introduces further complexities. Consequently, it becomes imperative to skilfully and sequentially dissect the oral and para-oral structures to expose the dentition. A comprehensive understanding of dental autopsy techniques is crucial for obtaining proper access to the deceased's oral cavity. The adoption of a systematic and precise approach is essential in aiding medico-legal investigations, establishing dental autopsy as an integral component of forensic inquiries. The process involves making incisions and performing resections of the jaw to conduct a meticulous examination of the oral cavity. This includes a thorough external assessment of oral structures to identify injuries, froth/liquid presence, or foreign objects. The internal examination of the oral cavity demands specific dissection techniques that provide a complete view of inner structures. Two approaches are available for visualizing dental structures: the incision method and the jaw resection method. The incision method employs various incisions to expose the skin, muscle,

and fascia, ultimately revealing the dentition while preserving the anatomical relationship between the upper and lower jaws. In contrast, the resection method involves the complete removal of the maxilla and mandible separately through resection. Whether through incision or resection, these techniques facilitate a thorough examination of dental structures during autopsy, contributing to the collection of valuable forensic evidence.¹⁸⁻²⁰

Identification in Mass Disasters

Identification in mass disasters is a challenging task that requires efficient and accurate methods to identify victims. Dental data plays a crucial role in the identification process, as teeth are highly resistant to degradation and can withstand various environmental factors that may affect other forms of identification, such as fingerprints or DNA. In cases of mass disasters, where traditional identification methods may be difficult due to extensive injuries, decomposition, or fragmentation of the bodies, dental data becomes a valuable source of information. The unique characteristics of teeth, including dental arch size, tooth morphology, dental restorations, missing teeth, and dental anomalies, provide distinct patterns that can aid in identifying individuals. The process of dental identification in mass disasters typically involves several steps. First, dental records of missing individuals or potential victims are collected. These records may include dental charts, X-rays, photographs, and other pertinent information. Forensic odontologists compare the antemortem (before death) dental records with post-mortem dental examinations to establish an identification. In mass disasters, where the number of victims can be overwhelming, a disaster victim identification (DVI) team is often formed. This multidisciplinary team includes forensic odontologists, pathologists, forensic anthropologists, and other experts who work together to identify the victims. The team follows established protocols and guidelines to ensure a systematic and accurate approach to identification. The dental identification process involves the examination of dental remains recovered from the disaster site. Teeth, dental prostheses, dental restorations, and any available dental records are analyzed to determine potential matches. This examination may involve comparing dental charts, analyzing X-rays, and assessing dental characteristics such as tooth morphology, dental anomalies, and unique features. In cases where dental records are unavailable for comparison, post-mortem dental records can be created. This involves documenting the dental characteristics of the recovered remains, including tooth numbering, dental restorations, and other notable features. These post-mortem records can later be used for comparison with antemortem records if they become available. Dental identification in mass disasters can also benefit from advanced technologies such as computerized dental record databases and three-dimensional imaging. These technologies enable faster and more accurate comparisons, improving the efficiency of the identification process. It is important to note that dental identification is not a standalone method but is often used in conjunction with other identification techniques, such as DNA



analysis, fingerprints, and anthropological examinations. Combining multiple methods increases the reliability and accuracy of identification, especially in complex cases^{1,17}.
Top of Form

Bitemarks

Bitemarks possess unique patterns similar to fingerprints, radiographs, and DNA. The distinct morphological and anatomical features of bite marks can aid in victim identification. Bite mark occurs in a variety of violent crimes- assault, rape, murder and child abuse. Comparisons of bite marks involve assessing the dental arch size, shape, tooth positions, and individual dental characteristics. The sizes, shapes, and patterns of the upper and lower dental arches, as well as the biting edges of anterior teeth, are unique to each individual. Human bite marks are most commonly found on the victim's skin and can be present on almost any part of the body. Teeth injuries resulting from bites can range from bruises to scrapes, cuts, or lacerations. The force exerted by biting can penetrate the deep layers of the skin, causing significant damage. Over time, the evidence of bite marks may deteriorate, especially in living bite victims or the deceased, making it crucial to document the injuries promptly. The diffuse nature of contusions and associated changes may further compromise the evidence if a significant amount of time elapses between the injury and its discovery. In some cases, non-human bite injuries may be present on victims. Differences in tooth alignment and specific morphological features typically differentiate animal bites from human bite marks. Animal bites often result in skin lacerations, shear injuries, and open wounds, as opposed to impact injuries commonly seen in human bites. Dog bites, for example, exhibit a narrow anterior dental arch and deep tooth wounds concentrated in a small area, making them the most common type of non-human bite. When inflicting violent bites, carnivorous mammals like dogs are more likely to cause avulsion of human tissue compared to humans. Cat bites, on the other hand, leave small, round impressions with sharp cuspid-tooth marks due to the conical shape of their teeth.^{21,22}

Bitemark evidence recording:

- Initial examination of Alleged/Suspected Bitemark
- Photography of Bitemarks
- Dental Examination of Suspect Biter

Documentation of bite mark evidence is crucial, as physical and biological evidence can deteriorate rapidly. Photographs play a vital role in capturing and preserving reliable information about bite marks. These photographs can be taken in black and white or color, with dimensions included to provide scale. Other methods of documentation include collecting saliva washings and suitable impressions. Saliva contains specific ABO antigens, which can serve as a source of genomic DNA and aid in identifying potential suspects. The double swab technique is commonly used to collect saliva samples, involving the use of two swabs. The first swab, moistened with distilled water, is used to wash the tongue and lips, while the second dry swab collects any remaining moisture from the skin. Both swabs are

air-dried before being released for testing by legal authorities. Another technique for capturing bite mark evidence involves taking precise impressions of the bitten surface to record any irregularities, such as cuts or abrasions. Polyether impression material, such as vinyl polysiloxane, is often used to create these impressions, which can be supported by dental acrylic or plaster for accurate recording of the skin's curvature.

Bitemark Analysis Techniques:

- Biological Comparison
- Physical Comparison
- Principles of Physical Comparison
 - Class and Individual Characteristics
 - Metric and Non-metric Analysis
 - Context Effects and Observer Bias
- Feature-Based Analysis
 - Examination of Bitemark Photographs
 - Preparation of Predictor of Casual Dentition
 - Examination of Dental Casts
 - Comparative Study

Superimposition Based Analysis

Bitemark Analysis Report:

- Introduction
- Examination of Alleged/Suspected Bitemark
- Dental Examination of Suspect Biter
- Comparison of Alleged/Suspected Bitemark with Suspect Biter
- Conclusions

Rugoscopy

Rugoscopy, also known as palatal rugae analysis or palatoscopy, is a forensic technique that involves the study and identification of the rugae patterns on the roof of the mouth (palate). Palatal rugae begin to develop during the third month of intrauterine life from calcified mesenchymal tissue surrounding the bone. The precise arrangement, configuration, and orientation of the rugae occur around 12 to 14 weeks of prenatal life and remain consistent until the regression of oral mucosal structures after death. The palatal rugae exhibit distinctive features that can be utilized when other methods of identification, such as fingerprints and dental records, are challenging or unavailable. The position of the rugae within the oral cavity provides them with protection against external trauma, aided by their inner location and the presence of the tongue and buccal pad of fat. Extensive research has demonstrated that no two individuals have identical palates in terms of rugae formation, arrangement, and alignment. Moreover, the palatal rugae remain stable and unchanged throughout a person's lifetime, making them a reliable alternative for human identification. The palatal rugae patterns exhibit individual variations in terms of their shape, length, direction, and arrangement. They can be classified into various types, such as straight, curved, circular, wavy, or branching, depending on their characteristics. The patterns may also include accessory rugae, which are smaller secondary ridges branching off from

the main rugae. To analyze palatal rugae, forensic experts use various methods. One common approach is to obtain dental casts or impressions of the palate using dental alginate or other suitable materials. These casts are then examined under magnification or using digital imaging techniques. The rugae patterns are carefully observed and documented, paying attention to their unique features. Rugoscopy finds applications in different areas of forensic science. It can be employed in cases where traditional methods of identification, such as fingerprints or dental records, are not available or inconclusive. Rugae analysis is particularly useful in mass disaster scenarios or cases involving severely decomposed or disfigured bodies, where other forms of identification may be challenging. Furthermore, rugoscopy can aid in personal identification in cases of child trafficking, unidentified human remains, and criminal investigations. By comparing the rugae patterns from the dental casts or impressions with existing databases or known individuals, forensic experts can establish or exclude the identity of a person with a reasonable degree of accuracy.^{23,24}

Lip prints (Cheiloscopy)

Lip prints, also known as cheiloscopy, is a forensic technique that involves the study and analysis of the patterns and characteristics of lip prints for identification purposes. Similar to fingerprints and dental records, lip prints are unique to each individual, making them a valuable tool in forensic investigations. Cheiloscopy is based on the premise that the grooves and lines on the surface of the lips form distinct patterns that are specific to an individual. These patterns are formed by a combination of factors, including the arrangement and shape of the lip mucosa, the presence of wrinkles, and the density of sebaceous glands. The lip prints are stable and remain unchanged throughout a person's life, making them a reliable means of identification. The process of analyzing lip prints involves applying a suitable medium, such as lipstick or ink, to the lips and then transferring the print onto a piece of paper or other surfaces. The resulting lip print can then be examined under magnification and categorized based on the pattern types. Common lip print patterns include vertical lines, branched lines, intersected lines, reticular patterns, and other unique configurations. Forensic experts can compare and match lip prints found at a crime scene with known lip prints of suspects or individuals in question. By examining the distinctive features and characteristics of lip prints, such as the shape, size, and arrangement of the grooves and lines, it is possible to establish an identification or provide valuable investigative leads. Cheiloscopy has been widely used in forensic investigations, particularly in cases involving unidentified bodies, sexual assault, and lip-related crimes. The technique has also proven useful in cases where other traditional forms of identification, such as fingerprints or dental records, are not available or inconclusive. Despite its usefulness, cheiloscopy does have its limitations. Environmental factors, such as smudging or distortion of lip

prints, can impact the quality of the prints and the accuracy of analysis. Additionally, the expertise and experience of the forensic expert play a crucial role in correctly interpreting and comparing lip prints.²⁵⁻²⁷

Tongue prints

Tongue print is a relatively new field of study in forensic science that involves the examination and analysis of the patterns and characteristics of the tongue for identification purposes. Like fingerprints, tongue prints are unique to each individual and can be used as a potential biometric identifier. The surface of the tongue is covered in a multitude of papillae, which are small raised structures that give the tongue its rough texture. These papillae, including the larger circumvallate, fungiform, and foliate papillae, form distinct patterns that vary from person to person. The arrangement, size, shape, and distribution of these papillae on the tongue create a unique tongue print for each individual. The process of obtaining tongue prints typically involves using a suitable medium, such as ink or a tongue impression paste, to capture the impression of the tongue's surface. The tongue is pressed against a smooth surface, such as a piece of paper or a specialized tongue print card, to transfer the print. The resulting tongue print can then be examined and analyzed under magnification or with the help of imaging techniques. Forensic experts can compare and match tongue prints found at a crime scene with known tongue prints of suspects or individuals in question. By examining the unique features and characteristics of the tongue print, such as the shape and arrangement of the papillae, it is possible to establish an identification or provide valuable investigative leads. Tongue prints are considered to be relatively stable and unchanging over time, similar to fingerprints. However, research in this field is still ongoing, and further studies are needed to establish the full reliability and accuracy of tongue prints as a forensic tool. Factors such as oral hygiene, health conditions, and age-related changes may potentially influence the appearance of the tongue print. While tongue prints show promise as a potential biometric identifier, their practical application in forensic investigations is still developing. The technique requires specialized equipment, training, and expertise to obtain accurate and reliable tongue prints. Currently, tongue prints are primarily used as an additional tool alongside other forms of identification, such as fingerprints and dental records, to strengthen the overall evidence in a forensic investigation.²⁸⁻³¹

Teeth as a source of DNA

Teeth can serve as a valuable source of DNA in forensic investigations and identification processes. The dental tissues, including the pulp and the roots, contain cells with intact DNA that can be extracted and analyzed for genetic profiling. When a tooth is healthy and intact, the pulp chamber within the tooth contains soft connective tissue, blood vessels, and nerves. This pulp is rich in DNA-containing cells, primarily odontoblasts, which are responsible for tooth formation. The DNA within these cells remains protected even after death



or in cases of severe degradation of other body tissues. In forensic cases, teeth can be collected from various sources, such as dental remains from unidentified individuals, crime scenes, or mass disasters where conventional identification methods are challenging. Teeth can also be recovered from bite marks on victims or objects involved in criminal activities, providing potential DNA evidence to identify the perpetrator. The process of extracting DNA from teeth involves careful preservation and subsequent laboratory procedures. The tooth is carefully cleaned and disinfected to remove any external contaminants. Then, different techniques, such as grinding or cutting, are employed to access the dental pulp, which contains the DNA-rich cells. Once the pulp is obtained, DNA extraction protocols are applied to isolate the DNA for further analysis. The extracted DNA can be analyzed using various techniques, such as polymerase chain reaction (PCR), which allows for the amplification of specific DNA regions, and subsequent DNA profiling methods like short tandem repeat (STR) analysis. The resulting DNA profile can then be compared to databases or reference samples to establish identification or provide investigative leads. Teeth are advantageous as a source of DNA due to their resistance to environmental factors and post-mortem degradation. The mineralized structure of teeth protects the DNA within, making it less susceptible to degradation compared to other body tissues. Additionally, teeth can be preserved for extended periods, which is especially beneficial in cases where DNA analysis needs to be conducted at a later stage. However, it is important to note that DNA extraction from teeth is not always straightforward and may be challenging in cases where the teeth are damaged, decayed, or subjected to extreme conditions. Factors such as age, dental treatments, and storage conditions can also affect the success of DNA recovery.^{31,32}

Forensic Facial Reconstruction

Forensic facial reconstruction is a technique used to recreate the facial appearance of an unidentified individual based on their skeletal remains. It involves a step-by-step process, starting with the examination of the bones to determine age, sex, and ancestry. Tissue depth markers are then placed on the skull to estimate the thickness of soft tissues. A forensic artist or anthropologist then builds up the facial features using clay or other materials, considering factors like age, sex, and ancestry. The reconstruction is refined with attention to details such as skin texture and facial asymmetry. The final result is documented through photographs or digital imaging. While forensic facial reconstruction has limitations, it can provide valuable visual information to aid in identification efforts and generate leads in criminal investigations or missing persons cases. The accuracy of the reconstruction heavily depends on the available skeletal remains and the quality of the underlying data. Factors such as the condition of the skull, missing or damaged bones, and the absence of soft tissue details can affect the final result. Facial reconstruction is an interpretive process that relies on the expertise and experience of the

forensic artist or anthropologist. In recent years, advancements in technology have introduced computer-based methods for facial reconstruction, including the use of 3D imaging, virtual sculpting, and facial recognition software. These digital tools can enhance the accuracy and efficiency of the reconstruction process and allow for more standardized approaches.

Forensic facial reconstruction can be a valuable tool in forensic investigations, particularly in cases where traditional identification methods have been unsuccessful. Creating a visual representation of the individual's face, can elicit recognition from the public or provide investigative leads that can aid in identifying the person and ultimately bring closure to their case.³³⁻³⁶

Denture /Dental Prosthesis identification methods

Denture /Dental Prosthesis identification methods are forensic techniques used to identify individuals based on their dental prosthetic devices. These can provide crucial information in cases where the deceased or missing individuals have these dental appliances. One method used for denture identification is the marking and labeling of dentures. This involves placing unique identification marks or labels on the dentures, such as patient initials, numbers, or symbols. These marks can be inscribed or embedded on the denture base or the individual teeth. This allows for easy identification and traceability of the dentures to a specific individual. Another method is the examination of dental records and documentation. Dentists maintain detailed records of their patient's dental treatments, including the creation and fitting of dentures or prostheses. By comparing the dental records of a missing or deceased individual with the records provided by their dentist, forensic experts can establish an identification. Additionally, the analysis of denture characteristics can be used for identification purposes. They can exhibit unique features such as wear patterns, repairs, modifications, or specific materials used in their construction. By carefully examining these characteristics, forensic experts can compare them to dental records or obtain additional information about the individual's dental history. In cases where dentures or prostheses are found at a crime scene or with unidentified remains, forensic odontologists can use these methods to link the dental appliances to a specific individual. This information can be vital in identifying victims, establishing connections between individuals, or providing evidence in criminal investigations.^{31,37,38}

Dental Evidence in Domestic Violence and Child Abuse

Dental evidence can play a significant role in cases of domestic violence and child abuse. The examination of dental injuries and oral findings can provide valuable information regarding the occurrence, severity, and timing of abuse. Here are some ways in which dental evidence can be utilized in such cases:

Patterned injuries

Dental injuries caused by physical abuse often exhibit distinctive patterns. Bite marks, for example, can be identified on the skin or soft tissues of the victim, and their analysis can help determine the source of the bite and potentially identify the perpetrator. The shape, size, and arrangement of the teeth involved can provide important clues in forensic investigations.

Dental trauma

Physical abuse can result in various types of dental trauma, including fractured teeth, luxations, avulsions, and soft tissue injuries in the oral cavity. These injuries can be documented, photographed, and evaluated by forensic odontologists to establish a timeline of abuse or to correlate the injuries with specific incidents.

Neglect and dental hygiene

In cases of child abuse or neglect, dental evidence can also involve the examination of oral hygiene and dental care. Poor oral health, untreated dental caries, and other oral infections can indicate neglect or inadequate care, contributing to the overall assessment of the child's well-being.

Radiographic evidence

Dental radiographs (X-rays) are commonly used in dental evaluations and can provide valuable evidence in cases of domestic violence and child abuse. They can reveal hidden or undiagnosed dental injuries, fractures, or skeletal abnormalities that may be consistent with abuse. Comparisons of pre-existing and post-incident radiographs can help determine the timing and progression of injuries.

Documentation and expert testimony

Forensic odontologists can document and provide expert testimony regarding the dental evidence in domestic violence and child abuse cases. They can accurately describe the nature of the injuries, interpret their forensic significance, and provide professional opinions regarding the likelihood of abuse or neglect based on the dental findings.^{39, 40}

CONCLUSION

In conclusion, forensic odontology plays a critical role in the field of forensic science and criminal investigations. By utilizing dental evidence and expertise, forensic odontologists contribute to the identification of human remains, determination of age, sex, and ancestry, bite mark analysis, dental autopsy, and the evaluation of dental records. Their specialized knowledge and skills bridge the gap between dentistry and law enforcement, providing valuable information that can aid in solving crimes and bringing justice to victims and their families. Forensic odontology serves as a powerful tool in identifying individuals when traditional methods are not feasible, such as in cases of mass disasters or decomposed remains. The uniqueness and durability of dental features, such as tooth morphology, dental records, and bite marks,

make them valuable sources of evidence. Through meticulous examination, comparison, and analysis, forensic odontologists can provide reliable identification and support the investigation process. Furthermore, the field of forensic odontology continues to evolve with advancements in technology, such as 3D imaging, dental databases, and DNA analysis from dental sources. These advancements enhance the accuracy and efficiency of forensic odontological examinations, further strengthening its role in the criminal justice system. The expertise of forensic odontologists, combined with their ability to analyze dental evidence, collaborate with other forensic disciplines, and provide expert testimony, significantly impacts the outcome of investigations. Through their work, forensic odontologists help bring closure to families, ensure the proper identification of victims, and contribute to the pursuit of justice.

ACKNOWLEDGMENTS

None.

REFERENCES

- Vallamchetla, Kiran & maloth, dr.kotyanaik & Chappidi, Vani & Goyal, Stuti & Ugrappa, Sridevi & Kodangal, Srikanth. (2017). Role of Dentists during Mass Disasters: A Review. Journal of Indian Academy of Oral Medicine and Radiology. 29. 371. 10.4103/jiaomr.jiaomr_91_17.
- Saranya, V. (2014). Forensic odontology: a brief review. Sri Ramachandra Journal of Medicine, 7(2).
- Ciapparelli, L. The chronology of dental development and age assessment. in: D.H. Clark (Ed.) Practical forensic odontology. Wright Butterworth-Heinemann Ltd, Oxford; 1992:22–42.
- Nolla CM. The development of permanent teeth. J Dent Child 1960;27: 254-66.
- Kvaal S, Kolltvit KM, Thompson IO, Solheim T. Age estimation of adults from dental radiographs. Forensic Sci Inter 1995;74:175-85.
- Harris MPJ, Nortje CJ. The mesial root of the third mandibular molar. J Forensic Odontostomatol 1984;2: 39-43.
- Chakraborty, A., Kundu, A., Sarkar, S., Silajiya, D. A Review on Clinical and Forensic perspective of Dental Age Estimation in Children. Int J Eth Trauma Victimology. 2022;8(1):31-35.
- Jayapal, Dinakaran & Thayalan, Dineshkumar & Gunasekaran, Nandhini & Priyadarshini, Natraj & Rajkumar, Krishnan. (2015). Gender determination using dentition. SRM Journal of Research in Dental Sciences. 6. 29. 10.4103/0976-433X.149587.
- Kaushal S, Patnaik V, Agnihotri G. Mandibular canines in sex determination. J Anat Soc India 2003;52:119-24.
- Abdullah M. A cross-sectional study of canine tooth dimorphism in establishing sex identity: A comparison of two different populations. Cairo Dent J 1998;14:191-6.
- Aprajita Sikka, Anjali Jain. Sex determination of mandible: a morphological and morphometric analysis. International Journal of Contemporary Medical Research 2016;3(7):1869-1872.
- Singh R, Mishra SR, Sushobhana, Passey J, Kumar P, Singh S, et al. Sexual dimorphism in the adult human mandible of north Indian origin. Forensic Medicine and Anatomy Research. 2015;3:82-8.
- Vinay G, Mangala GSR. Determination of gender by anthropometric measurement of human mandible using ramus breadth and mandibular angle: A cross-sectional study from South India. Medical science. 2013;1:28-32.



14. Reddy, K.S.N. (2013) *The Essentials of Forensic Medicine and Toxicology*. Jaypee Brothers Medical Publishers (P) Ltd.; 33rd edition (27 August 2014).
15. Dr. Sandhya Jain MDS and Dr. Merin Kuriakose. Gender and race determination in forensic odontology-- An overview", *International Journal of Current Research* (2020), 12, (10), 14435-14440.
16. Scott GR, Turner CG 2nd. *The anthropology of modern human teeth: Dental morphology and its variation in recent human populations*. Cambridge: Cambridge University Press; 199
17. Senn David R. Richard A. Weems and CRC Press. 2013. *Manual of Forensic Odontology*. 5th ed. Boca Raton: CRC Press/Taylor & Francis Group.
18. Roy J, Shahu U, Shirpure P, Soni S, Parekh U, Johnson A. A literature review on dental autopsy – an invaluable investigative technique in forensics. *Autopsy Case Rep* [Internet]. 2021;11:e2021295. <https://doi.org/10.4322/acr.2021.295>
19. Arthanari, Abirami & Chander, U Jagdish & Palaniswamy, Adhithiya. (2021). Oral and virtual autopsy in forensic dentistry. *International Journal of Clinicopathological Correlation*. 5. 35. 10.4103/ijpc.ijpc_13_21.
20. William E. Silver, Richard R. Souviron, *Dental Autopsy*, 1st Edition, 2009, Boca Raton, CRC Press, <https://doi.org/10.1201/9781420070163>
21. Rao, DhanyaS & Ali, Ibrahim & Annigeri, RajeshwariG. (2016). Bitemarks - A review. *Journal of Dental Research and Review*. 3. 31. 10.4103/2348-2915.180115.
22. Moody G Howard, *An Introduction to Forensic Odontology*, 1st Edition, Quintessence Publishing Company Ltd, 2010, ISBN: 9788192297712
23. R. Mahajan, Mohd. Arif Dar, Sanjeet Singh Risam. "Palatoscopy/ Rugoscopy: A Potential Tool in Human Identification". *Journal of Evolution of Medical and Dental Sciences* 2014; Vol. 3, Issue 40, September 01; Page:10076-10088, DOI: 10.14260/jemds/2014/3307
24. Thomas CJ, Kotze TJ. The palatal ruga pattern: a new classification. *J Dent Assoc S Afr* 1983; 38(3): 153-157.
25. Dineshshankar J, Ganapathi N, Yoithaprabhunath TR, Maheswaran T, Kumar MS, Aravindhan R. Lip prints: Role in forensic odontology. *J Pharm Bioall Sci* 2013;5:95-7.
26. Reddy LV. Lip prints: An overview in forensic dentistry. *J Adv Dent Res* 2011;1:1720
27. Sharma P, Saxena S, Rathod V. Cheiloscopy: The study of lip prints in sex identification. *J Forensic Dent Sci* 2009;1:247
28. Stefanescu CL, Popa MF, Candia LS. Preliminary study on the tongue-based forensic identification *Rom J Leg Med*. 2014;22:263–6
29. Jeddy N, Radhika T, Nithya S. Tongue prints in biometric authentication: A pilot study *J Oral Maxillofac Pathol*. 2017;21:176–9
30. Nimbulkar G, Patil R, Nathani S, Salve S, Chhabra KG, Deolia S, et al Tongue prints: A forensic review *Indian J Forensic Med Toxicol*. 2020;14:6802–6806
31. Menon, P.Aishwarya1; Kumar, N. Anoop2,. Recent Advances in Forensic Odontology: An Overview. *Journal of Forensic Science and Medicine* 7(3):p 105-108, Jul–Sep 2021. DOI: 10.4103/jfsm.jfsm_41_20
32. Girish K, Rahman FS, Tippu SR. Dental DNA Fingerprinting in Identification of Human Remains *J Forensic Dent Sci*. 2010;2:63–8
33. Arpita S, et al. 3D forensic facial reconstruction: a review of the traditional sculpting methods and recent computerised developments. *Int J Forens Sci* 2018; 3: 000134.
34. Wilkinson CM. *Forensic facial reconstruction*. Cambridge: Cambridge University Press.
35. Taylor K. *Forensic art and illustration*. Boca Raton, FL: CRC Press.
36. Kundu A, Streed M, Galzi PJ, Johnson A. A detailed review of forensic facial reconstruction techniques. *Medico-Legal Journal*. 2021;89(2):106-116. doi:10.1177/0025817221989591
37. Thomas T, Muruppel AM, Dinesh N, Gladstone S, George V. Dentures in forensic identification – A review of methods and benefits *J Adv Med Dent Sci*. 2014;80:5–12
38. Reddy RRT, Kumar RN, Singh NK, Lakshmi USB, Anusha C. Denture marking for forensic identification using Aadhar number: A case report *Int J Sci Res Sci Technol*. 2017;3:627–30
39. Fisher-Owens, S. A., Lukefahr, J. L., Tate, A. R., AMERICAN ACADEMY OF PEDIATRICS, SECTION ON ORAL HEALTH, COMMITTEE ON CHILD ABUSE AND NEGLECT, AMERICAN ACADEMY OF PEDIATRIC DENTISTRY, COUNCIL ON CLINICAL AFFAIRS, COUNCIL ON SCIENTIFIC AFFAIRS, & AD HOC WORK GROUP ON CHILD ABUSE AND NEGLECT (2017). Oral and Dental Aspects of Child Abuse and Neglect. *Pediatrics*, 140(2), e20171487. <https://doi.org/10.1542/peds.2017-1487>
40. Stavrianos, Christos & Louloudiadis, Konstantinos & Papadopoulos, Christos & Konosidou, N. & Samara, Elpida & Tatsis, Dimitris. (2011). Challenging Dentists' Role: Identifying and Reporting Domestic Violence. *Research Journal of Medical Sciences*. 5. 32-37. 10.3923/rjmsci.2011.32.37